


3EBP 1.8



Technical Data

MODEL		P ₂		DELIVERY										
				n ≈ 2850 1/min										
1 - 220 - 240V	3 - 380 - 415V	kW	HP	Q	0	0.3	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7
				$\frac{m^3/h}{l/min}$	0	5	10	15	20	25	30	35	40	45
3EBPm1.8/8-0.18	3EBP1.8/8-0.18	0.18	0.25	H(m)	35	34	34	33	32	29	26	22	17	11
3EBPm1.8/11-0.25	3EBP1.8/11-0.25	0.25	0.33		48	47	47	46	44	40	36	30	24	15
3EBPm1.8/15-0.37	3EBP1.8/15-0.37	0.37	0.5		65	64	64	63	60	55	49	41	33	21
3EBPm1.8/21-0.55	3EBP1.8/21-0.55	0.55	0.75		91	90	90	88	84	77	68	58	46	29
3EBPm1.8/27-0.75	3EBP1.8/27-0.75	0.75	1		117	116	115	113	107	99	88	75	59	38
3EBPm1.8/39-1.1	3EBP1.8/39-1.1	1.1	1.5		168	168	167	163	155	143	127	108	85	55
3EBPm1.8/47-1.5	3EBP1.8/47-1.5	1.5	2		203	202	201	196	187	172	153	130	102	66